

Jako 3 mm

3 M 09


| Обозначение | Кол-во зубьев | Тип | Do mm | Dy mm | Df mm | W mm | H mm | Y mm | D esipor | Paino kg |
|--------------|------------------|-----|----------|----------|----------|---------|---------|---------|-------------|-------------|
| 10 3 M 09 FB | 10 | 0F | 9,55 | 8,79 | 13,0 | 10,2 | 13,0 | 17,5 | - | 0,004 |
| 12 3 M 09 FB | 12 | 0F | 11,46 | 10,70 | 15,0 | 10,2 | 15,0 | 17,5 | - | 0,006 |
| 14 3 M 09 FB | 14 | 0F | 13,37 | 12,61 | 16,0 | 10,2 | 16,0 | 17,5 | - | 0,007 |
| 15 3 M 09 FB | 15 | 0F | 14,32 | 13,56 | 17,5 | 10,2 | 17,5 | 17,5 | - | 0,008 |
| 16 3 M 09 FB | 16 | 1F | 15,28 | 14,52 | 17,5 | 12,8 | 10,0 | 20,6 | 4 | 0,007 |
| 18 3 M 09 FB | 18 | 1F | 17,19 | 16,43 | 20,0 | 12,8 | 11,0 | 20,6 | 6 | 0,008 |
| 20 3 M 09 FB | 20 | 1F | 19,10 | 18,34 | 23,0 | 12,8 | 13,0 | 20,6 | 6 | 0,010 |
| 21 3 M 09 FB | 21 | 1F | 20,02 | 19,29 | 25,0 | 12,8 | 14,0 | 20,6 | 6 | 0,013 |
| 22 3 M 09 FB | 22 | 1F | 21,01 | 20,25 | 25,0 | 12,8 | 14,0 | 20,6 | 6 | 0,014 |
| 24 3 M 09 FB | 24 | 1F | 22,92 | 22,16 | 25,0 | 12,8 | 14,0 | 20,6 | 6 | 0,016 |
| 26 3 M 09 FB | 26 | 1F | 24,83 | 24,07 | 28,0 | 12,8 | 16,0 | 20,6 | 6 | 0,018 |
| 28 3 M 09 FB | 28 | 1F | 26,74 | 25,98 | 32,0 | 12,8 | 18,0 | 20,6 | 6 | 0,024 |
| 30 3 M 09 FB | 30 | 1F | 28,65 | 27,89 | 32,0 | 12,8 | 20,0 | 20,6 | 6 | 0,028 |
| 32 3 M 09 FB | 32 | 1F | 30,56 | 29,80 | 36,0 | 12,8 | 22,0 | 20,6 | 6 | 0,032 |
| 36 3 M 09 FB | 36 | 1F | 34,38 | 33,62 | 39,0 | 13,4 | 26,0 | 22,2 | 6 | 0,045 |
| 40 3 M 09 FB | 40 | 1F | 38,20 | 37,44 | 42,0 | 13,4 | 28,0 | 22,2 | 6 | 0,055 |
| 44 3 M 09 FB | 44 | 1F | 42,02 | 41,26 | 48,0 | 13,4 | 33,0 | 22,2 | 6 | 0,074 |
| 48 3 M 09 FB | 48 | 8 | 45,84 | 45,08 | * | 13,4 | 33,0 | 22,2 | 8 | 0,074 |
| 60 3 M 09 FB | 60 | 8 | 57,30 | 56,54 | * | 13,4 | 33,0 | 22,2 | 8 | 0,106 |
| 72 3 M 09 FB | 72 | 8 | 68,75 | 67,99 | * | 13,4 | 33,0 | 22,2 | 8 | 0,145 |

* Pyörässä ei ole laippaa


3 M 15

| Обозначение | Кол-во зубьев | Тип | Do mm | Dy mm | Df mm | W mm | H mm | Y mm | D esipor | Paino kg |
|--------------|------------------|-----|----------|----------|----------|---------|---------|---------|-------------|-------------|
| 10 3 M 15 FB | 10 | 0F | 9,55 | 8,79 | 13,0 | 17,0 | 13,0 | 26,0 | - | 0,006 |
| 12 3 M 15 FB | 12 | 0F | 11,46 | 10,70 | 15,0 | 17,0 | 15,0 | 26,0 | - | 0,008 |
| 14 3 M 15 FB | 14 | 0F | 13,37 | 12,61 | 16,0 | 17,0 | 16,0 | 26,0 | - | 0,010 |
| 15 3 M 15 FB | 15 | 0F | 14,32 | 13,56 | 17,5 | 17,0 | 17,5 | 26,0 | - | 0,012 |
| 16 3 M 15 FB | 16 | 1F | 15,28 | 14,52 | 17,5 | 19,5 | 10,0 | 26,0 | 4 | 0,010 |
| 18 3 M 15 FB | 18 | 1F | 17,19 | 16,43 | 20,0 | 19,5 | 11,0 | 26,0 | 6 | 0,012 |
| 20 3 M 15 FB | 20 | 1F | 19,10 | 18,34 | 23,0 | 19,5 | 13,0 | 26,0 | 6 | 0,014 |
| 21 3 M 15 FB | 21 | 1F | 20,02 | 19,29 | 25,0 | 19,5 | 14,0 | 26,0 | 6 | 0,016 |
| 22 3 M 15 FB | 22 | 1F | 21,01 | 20,25 | 25,0 | 19,5 | 14,0 | 26,0 | 6 | 0,018 |
| 24 3 M 15 FB | 24 | 1F | 22,92 | 22,16 | 25,0 | 19,5 | 14,0 | 26,0 | 6 | 0,020 |
| 26 3 M 15 FB | 26 | 1F | 24,83 | 24,07 | 28,0 | 19,5 | 16,0 | 26,0 | 6 | 0,027 |
| 28 3 M 15 FB | 28 | 1F | 26,74 | 25,98 | 32,0 | 19,5 | 18,0 | 26,0 | 6 | 0,030 |
| 30 3 M 15 FB | 30 | 1F | 28,65 | 27,89 | 32,0 | 19,5 | 20,0 | 26,0 | 6 | 0,035 |
| 32 3 M 15 FB | 32 | 1F | 30,56 | 29,80 | 36,0 | 19,5 | 22,0 | 26,0 | 6 | 0,042 |
| 36 3 M 15 FB | 36 | 1F | 34,38 | 33,62 | 39,0 | 20,0 | 26,0 | 30,0 | 6 | 0,060 |
| 40 3 M 15 FB | 40 | 1F | 38,20 | 37,44 | 42,0 | 20,0 | 28,0 | 30,0 | 6 | 0,075 |
| 44 3 M 15 FB | 44 | 1F | 42,02 | 41,26 | 48,0 | 20,0 | 33,0 | 30,0 | 6 | 0,095 |
| 48 3 M 15 FB | 48 | 8 | 45,84 | 45,08 | * | 20,0 | 33,0 | 30,0 | 8 | 0,103 |
| 60 3 M 15 FB | 60 | 8 | 57,30 | 56,54 | * | 20,0 | 33,0 | 30,0 | 8 | 0,150 |
| 72 3 M 15 FB | 72 | 8 | 68,75 | 67,99 | * | 20,0 | 33,0 | 30,0 | 8 | 0,212 |


* Pyörässä ei ole laippaa



0F




1F



8

Tilaus nr esi 12 3M 09 FB

Materiaali: alumiini




Varastoidaan Ruotsissa.

Jako 5 mm

5 M 09

| Обозначение | Кол-во рубьеё | Тип | Do mm | Dy mm | Df mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|---------|---------|---------|---------|-------------|
| 12 5 M 09 FB | 12 | 1F | 19,10 | 17,96 | 23 | 14,5 | 13,0 | 20,0 | 4 | 0,028 |
| 14 5 M 09 FB | 14 | 1F | 22,28 | 21,14 | 25 | 14,5 | 14,0 | 20,0 | 6 | 0,034 |
| 15 5 M 09 FB | 15 | 1F | 23,87 | 22,73 | 28 | 14,5 | 16,0 | 20,0 | 6 | 0,042 |
| 16 5 M 09 FB | 16 | 1F | 25,46 | 24,32 | 28 | 14,5 | 16,5 | 20,0 | 6 | 0,050 |
| 18 5 M 09 FB | 18 | 1F | 28,65 | 27,51 | 32 | 14,5 | 20,0 | 20,0 | 6 | 0,070 |
| 20 5 M 09 FB | 20 | 1F | 31,83 | 30,69 | 36 | 14,5 | 23,0 | 20,0 | 6 | 0,094 |
| 21 5 M 09 FB | 21 | 1F | 33,42 | 32,28 | 38 | 14,5 | 24,0 | 22,5 | 6 | 0,110 |
| 22 5 M 09 FB | 22 | 1F | 35,01 | 33,87 | 39 | 14,5 | 25,5 | 22,5 | 6 | 0,118 |
| 24 5 M 09 FB | 24 | 1F | 38,20 | 37,06 | 42 | 14,5 | 27,0 | 22,5 | 6 | 0,145 |
| 26 5 M 09 FB | 26 | 1F | 41,38 | 40,24 | 44 | 14,5 | 30,0 | 22,5 | 6 | 0,170 |
| 28 5 M 09 FB | 28 | 1F | 44,56 | 43,42 | 48 | 14,5 | 30,5 | 22,5 | 6 | 0,200 |
| 30 5 M 09 FB | 30 | 1F | 47,75 | 46,6 | 51 | 14,5 | 35,0 | 22,5 | 6 | 0,236 |
| 32 5 M 09 FB | 32 | 1F | 50,93 | 49,79 | 54 | 14,5 | 38,0 | 22,5 | 8 | 0,270 |
| 36 5 M 09 FB | 36 | 1F | 57,30 | 56,16 | 60 | 14,5 | 38,0 | 22,5 | 8 | 0,324 |
| 40 5 M 09 FB | 40 | 1F | 63,66 | 62,52 | 71 | 14,5 | 38,0 | 22,5 | 8 | 0,400 |
| 44 5 M 09 FB | 44 | 3 | 70,03 | 68,89 | * | 14,5 | 38,0 | 22,5 | 8 | 0,170 |
| 48 5 M 09 FB | 48 | 3 | 76,39 | 75,25 | * | 14,5 | 45,0 | 25,5 | 8 | 0,182 |
| 60 5 M 09 FB | 60 | 3 | 95,49 | 94,35 | * | 14,5 | 45,0 | 25,5 | 8 | 0,230 |
| 72 5 M 09 FB | 72 | 3 | 114,59 | 113,5 | * | 14,5 | 45,0 | 25,5 | 8 | 0,270 |

* Pyörässä ei ole laippaa




1F

5 M 15

| Обозначение | Кол-во рубьеё | Тип | Do mm | Dy mm | Df mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|---------|---------|---------|---------|-------------|
| 12 5 M 15 FB | 12 | 1F | 19,10 | 17,96 | 23 | 20,5 | 13,0 | 26,0 | - | 0,034 |
| 14 5 M 15 FB | 14 | 1F | 22,28 | 21,14 | 25 | 20,5 | 14,0 | 26,0 | 6 | 0,046 |
| 15 5 M 15 FB | 15 | 1F | 23,87 | 22,73 | 28 | 20,5 | 16,0 | 26,0 | 6 | 0,056 |
| 16 5 M 15 FB | 16 | 1F | 25,46 | 24,32 | 28 | 20,5 | 16,5 | 26,0 | 6 | 0,064 |
| 18 5 M 15 FB | 18 | 1F | 28,65 | 27,51 | 32 | 20,5 | 20,0 | 26,0 | 6 | 0,086 |
| 20 5 M 15 FB | 20 | 1F | 31,83 | 30,69 | 36 | 20,5 | 23,0 | 26,0 | 6 | 0,112 |
| 21 5 M 15 FB | 21 | 1F | 33,42 | 32,28 | 38 | 20,5 | 24,0 | 26,0 | 6 | 0,130 |
| 22 5 M 15 FB | 22 | 1F | 35,01 | 33,87 | 39 | 20,5 | 25,5 | 26,0 | 6 | 0,140 |
| 24 5 M 15 FB | 24 | 1F | 38,20 | 37,06 | 42 | 20,5 | 27,0 | 28,0 | 6 | 0,180 |
| 26 5 M 15 FB | 26 | 1F | 41,38 | 40,24 | 44 | 20,5 | 30,0 | 28,0 | 6 | 0,220 |
| 28 5 M 15 FB | 28 | 1F | 44,56 | 43,42 | 48 | 20,5 | 30,5 | 28,0 | 6 | 0,250 |
| 30 5 M 15 FB | 30 | 1F | 47,75 | 46,6 | 51 | 20,5 | 35,0 | 28,0 | 6 | 0,300 |
| 32 5 M 15 FB | 32 | 1F | 50,93 | 49,79 | 54 | 20,5 | 38,0 | 28,0 | 8 | 0,350 |
| 36 5 M 15 FB | 36 | 1F | 57,30 | 56,16 | 60 | 20,5 | 38,0 | 28,0 | 8 | 0,426 |
| 40 5 M 15 FB | 40 | 1F | 63,66 | 62,52 | 71 | 20,5 | 38,0 | 28,0 | 8 | 0,520 |
| 44 5 M 15 FB | 44 | 3 | 70,03 | 68,89 | * | 20,5 | 38,0 | 30,0 | 8 | 0,225 |
| 48 5 M 15 FB | 48 | 3 | 76,39 | 75,25 | * | 20,5 | 38,0 | 30,0 | 8 | 0,187 |
| 60 5 M 15 FB | 60 | 3 | 95,49 | 94,35 | * | 20,5 | 50,0 | 30,0 | 8 | 0,305 |
| 72 5 M 15 FB | 72 | 3 | 114,59 | 113,5 | * | 20,5 | 50,0 | 30,0 | 8 | 0,375 |

* Pyörässä ei ole laippaa




3

5 M 25


| Обозначение | Кол-во рубьеё | Тип | Do mm | Dy mm | Df mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|---------|---------|---------|---------|-------------|
| 12 5 M 25 FB | 12 | 1F | 19,10 | 17,96 | 23 | 30,5 | 13,0 | 36,0 | - | 0,050 |
| 14 5 M 25 FB | 14 | 1F | 22,28 | 21,14 | 25 | 30,5 | 14,0 | 36,0 | - | 0,070 |
| 15 5 M 25 FB | 15 | 1F | 23,87 | 22,73 | 28 | 30,5 | 16,0 | 36,0 | - | 0,080 |
| 16 5 M 25 FB | 16 | 1F | 25,46 | 24,32 | 28 | 30,5 | 16,5 | 36,0 | - | 0,100 |
| 18 5 M 25 FB | 18 | 1F | 28,65 | 27,51 | 32 | 30,5 | 20,0 | 36,0 | - | 0,120 |
| 20 5 M 25 FB | 20 | 1F | 31,83 | 30,69 | 36 | 30,5 | 23,0 | 36,0 | - | 0,160 |
| 21 5 M 25 FB | 21 | 1F | 33,42 | 32,28 | 38 | 30,5 | 24,0 | 38,0 | - | 0,190 |
| 22 5 M 25 FB | 22 | 1F | 35,01 | 33,87 | 39 | 30,5 | 25,5 | 38,0 | - | 0,210 |
| 24 5 M 25 FB | 24 | 1F | 38,20 | 37,06 | 42 | 30,5 | 27,0 | 38,0 | - | 0,250 |
| 26 5 M 25 FB | 26 | 1F | 41,38 | 40,24 | 44 | 30,5 | 30,0 | 38,0 | - | 0,300 |
| 28 5 M 25 FB | 28 | 1F | 44,56 | 43,42 | 48 | 30,5 | 30,5 | 38,0 | - | 0,350 |
| 30 5 M 25 FB | 30 | 1F | 47,75 | 46,6 | 51 | 30,5 | 35,0 | 38,0 | - | 0,420 |
| 32 5 M 25 FB | 32 | 1F | 50,93 | 49,79 | 54 | 30,5 | 38,0 | 38,0 | - | 0,480 |
| 36 5 M 25 FB | 36 | 1F | 57,30 | 56,16 | 60 | 30,5 | 38,0 | 38,0 | - | 0,590 |
| 40 5 M 25 FB | 40 | 1F | 63,66 | 62,52 | 71 | 30,5 | 38,0 | 38,0 | - | 0,740 |
| 44 5 M 25 FB | 44 | 8 | 70,03 | 68,89 | * | 30,5 | 38,0 | 40,0 | 8 | 0,320 |
| 48 5 M 25 FB | 48 | 3 | 76,39 | 75,25 | * | 30,5 | 38,0 | 40,0 | 8 | 0,275 |
| 60 5 M 25 FB | 60 | 3 | 95,49 | 94,35 | * | 30,5 | 50,0 | 40,0 | 8 | 0,435 |
| 72 5 M 25 FB | 72 | 3 | 114,59 | 113,5 | * | 30,5 | 50,0 | 40,0 | 8 | 0,525 |

* Pyörässä ei ole laippaa



8

Tilaus nr esi 12 5 M 09 FB



Materiaali: Z≤40 teräs
Z≥44 alumiini

Jako 8 mm

8 M 20

| Обозначение | Кол-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|-------------|
| 22 8 M 20 FB | 22 | 1F | 56,02 | 54,65 | 60 | - | 28 | 43 | 38 | 12 | 0,54 |
| 24 8 M 20 FB | 24 | 1F | 61,12 | 59,74 | 66 | - | 28 | 45 | 38 | 12 | 0,65 |
| 26 8 M 20 FB | 26 | 1F | 66,21 | 64,84 | 70 | - | 28 | 48 | 38 | 12 | 0,80 |
| 28 8 M 20 FB | 28 | 1F | 71,30 | 69,93 | 75 | - | 28 | 50 | 38 | 15 | 0,87 |
| 30 8 M 20 FB | 30 | 1F | 76,39 | 75,02 | 82 | - | 28 | 55 | 38 | 15 | 1,02 |
| 32 8 M 20 FB | 32 | 1F | 81,49 | 80,12 | 87 | - | 28 | 60 | 38 | 15 | 1,20 |
| 34 8 M 20 FB | 34 | 1F | 86,58 | 85,21 | 91 | - | 28 | 66 | 38 | 15 | 1,40 |
| 36 8 M 20 FB | 36 | 1F | 91,67 | 90,30 | 97 | - | 28 | 70 | 38 | 15 | 1,55 |
| 38 8 M 20 FB | 38 | 1F | 96,77 | 95,39 | 102 | - | 28 | 75 | 38 | 15 | 1,65 |
| 40 8 M 20 FB | 40 | 1F | 101,86 | 100,49 | 106 | - | 28 | 75 | 38 | 15 | 1,74 |
| 44 8 M 20 FB | 44 | 1F | 112,05 | 110,67 | 120 | - | 28 | 75 | 38 | 15 | 2,10 |
| 48 8 M 20 FB | 48 | 1F | 122,23 | 120,86 | 128 | - | 28 | 75 | 38 | 15 | 2,44 |
| 56 8 M 20 FB | 56 | 2F | 142,60 | 141,23 | 150 | 116 | 28 | 80 | 38 | 15 | 2,60 |
| 64 8 M 20 FB | 64 | 2F | 162,97 | 161,60 | 168 | 137 | 28 | 80 | 38 | 15 | 2,90 |
| 72 8 M 20 FB | 72 | 2F | 183,35 | 181,97 | 192 | 158 | 28 | 80 | 38 | 15 | 3,10 |
| 80 8 M 20 FB | 80 | 3 | 203,72 | 202,35 | * | 180 | 28 | 90 | 38 | 15 | 3,80 |
| 90 8 M 20 FB | 90 | 3 | 229,18 | 227,81 | * | 204 | 28 | 90 | 38 | 15 | 4,20 |

* Pyörässä ei ole laippaa.

8 M 30


| Обозначение | Кол-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|-------------|
| 22 8 M 30 FB | 22 | 1F | 56,02 | 54,65 | 60 | - | 38 | 43 | 48 | 12 | 0,69 |
| 24 8 M 30 FB | 24 | 1F | 61,12 | 59,74 | 66 | - | 38 | 45 | 48 | 12 | 0,84 |
| 26 8 M 30 FB | 26 | 1F | 66,21 | 64,84 | 70 | - | 38 | 48 | 48 | 12 | 1,00 |
| 28 8 M 30 FB | 28 | 1F | 71,30 | 69,93 | 75 | - | 38 | 50 | 48 | 15 | 1,12 |
| 30 8 M 30 FB | 30 | 1F | 76,39 | 75,02 | 82 | - | 38 | 55 | 48 | 15 | 1,32 |
| 32 8 M 30 FB | 32 | 1F | 81,49 | 80,12 | 87 | - | 38 | 60 | 48 | 15 | 1,53 |
| 34 8 M 30 FB | 34 | 1F | 86,58 | 85,21 | 91 | - | 38 | 70 | 48 | 15 | 1,80 |
| 36 8 M 30 FB | 36 | 1F | 91,67 | 90,30 | 97 | - | 38 | 70 | 48 | 15 | 1,99 |
| 38 8 M 30 FB | 38 | 1F | 96,77 | 95,39 | 102 | - | 38 | 75 | 48 | 15 | 2,27 |
| 40 8 M 30 FB | 40 | 1F | 101,86 | 100,49 | 106 | - | 38 | 75 | 48 | 15 | 2,40 |
| 44 8 M 30 FB | 44 | 1F | 112,05 | 110,67 | 120 | - | 38 | 75 | 48 | 15 | 2,80 |
| 48 8 M 30 FB | 48 | 1F | 122,23 | 120,86 | 128 | - | 38 | 75 | 48 | 15 | 3,20 |
| 56 8 M 30 FB | 56 | 2F | 142,60 | 141,23 | 150 | 116 | 38 | 90 | 48 | 15 | 3,60 |
| 64 8 M 30 FB | 64 | 2F | 162,97 | 161,60 | 168 | 137 | 38 | 90 | 48 | 15 | 4,30 |
| 72 8 M 30 FB | 72 | 2F | 183,35 | 181,97 | 192 | 158 | 38 | 95 | 48 | 15 | 4,80 |
| 80 8 M 30 FB | 80 | 3 | 203,72 | 202,35 | * | 180 | 38 | 100 | 48 | 15 | 5,10 |
| 90 8 M 30 FB | 90 | 3 | 229,18 | 227,81 | * | 204 | 38 | 100 | 48 | 15 | 5,70 |

* Pyörässä ei ole laippaa.


8 M 50

| Обозначение | Кол-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|-------------|
| 22 8 M 50 FB | 22 | 1F | 56,02 | 54,65 | 60 | - | 60 | 43 | 70 | - | 1,00 |
| 24 8 M 50 FB | 24 | 1F | 61,12 | 59,74 | 66 | - | 60 | 45 | 70 | - | 1,23 |
| 26 8 M 50 FB | 26 | 1F | 66,21 | 64,84 | 70 | - | 60 | 48 | 70 | - | 1,50 |
| 28 8 M 50 FB | 28 | 1F | 71,30 | 69,93 | 75 | - | 60 | 50 | 70 | - | 1,67 |
| 30 8 M 50 FB | 30 | 1F | 76,39 | 75,02 | 82 | - | 60 | 55 | 70 | - | 1,97 |
| 32 8 M 50 FB | 32 | 1F | 81,49 | 80,12 | 87 | - | 60 | 60 | 70 | - | 2,27 |
| 34 8 M 50 FB | 34 | 1F | 86,58 | 85,21 | 91 | - | 60 | 66 | 70 | - | 2,69 |
| 36 8 M 50 FB | 36 | 1F | 91,67 | 90,30 | 97 | - | 60 | 70 | 70 | - | 2,97 |
| 38 8 M 50 FB | 38 | 1F | 96,77 | 95,39 | 102 | - | 60 | 75 | 70 | - | 3,23 |
| 40 8 M 50 FB | 40 | 1F | 101,86 | 100,49 | 106 | - | 60 | 75 | 70 | 18 | 3,50 |
| 44 8 M 50 FB | 44 | 1F | 112,05 | 110,67 | 120 | - | 60 | 75 | 70 | 18 | 3,90 |
| 48 8 M 50 FB | 48 | 1F | 122,23 | 120,86 | 128 | - | 60 | 80 | 70 | 18 | 4,30 |
| 56 8 M 50 FB | 56 | 6F | 142,60 | 141,23 | 150 | 116 | 60 | 80 | 60 | 18 | 5,00 |
| 64 8 M 50 FB | 64 | 6F | 162,97 | 161,60 | 168 | 137 | 60 | 80 | 60 | 18 | 5,60 |
| 72 8 M 50 FB | 72 | 6F | 183,35 | 181,97 | 192 | 158 | 60 | 80 | 60 | 18 | 6,80 |
| 80 8 M 50 FB | 80 | 7 | 203,72 | 202,35 | * | 180 | 60 | 60 | 60 | 18 | 6,90 |
| 90 8 M 50 FB | 90 | 7 | 229,18 | 227,81 | * | 204 | 60 | 60 | 60 | 18 | 8,60 |


* Pyörässä ei ole laippaa.




1F




2F



3



6F




7

Jako

8 M 85 Varastoidaan Ruotsissa

| Обозначение | Кол-во рублев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Y mm | D mm | Paino kg |
|--------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|-------------|
| 22 8 M 85 FB | 22 | 1F | 56,02 | 54,65 | 60 | - | 95 | 43 | 105 | - | 1,59 |
| 24 8 M 85 FB | 24 | 1F | 61,12 | 59,74 | 66 | - | 95 | 45 | 105 | - | 1,90 |
| 26 8 M 85 FB | 26 | 1F | 66,21 | 64,84 | 70 | - | 95 | 48 | 105 | - | 2,25 |
| 28 8 M 85 FB | 28 | 1F | 71,30 | 69,93 | 75 | - | 95 | 50 | 105 | - | 2,55 |
| 30 8 M 85 FB | 30 | 1F | 76,39 | 75,02 | 82 | - | 95 | 55 | 105 | - | 3,00 |
| 32 8 M 85 FB | 32 | 1F | 81,49 | 80,12 | 87 | - | 95 | 60 | 105 | - | 3,57 |
| 34 8 M 85 FB | 34 | 1F | 86,58 | 85,21 | 91 | - | 95 | 66 | 105 | - | 4,00 |
| 36 8 M 85 FB | 36 | 1F | 91,67 | 90,30 | 97 | - | 95 | 70 | 105 | - | 4,50 |
| 38 8 M 85 FB | 38 | 1F | 96,77 | 95,39 | 102 | - | 95 | 75 | 105 | - | 4,90 |
| 40 8 M 85 FB | 40 | 1F | 101,86 | 100,49 | 106 | - | 95 | 75 | 105 | 18 | 5,20 |
| 44 8 M 85 FB | 44 | 1F | 112,05 | 110,67 | 120 | - | 95 | 75 | 105 | 18 | 6,60 |
| 48 8 M 85 FB | 48 | 1F | 122,23 | 120,86 | 128 | - | 95 | 80 | 105 | 18 | 7,60 |
| 56 8 M 85 FB | 56 | 1F | 142,60 | 141,23 | 150 | - | 95 | 80 | 105 | 20 | 9,80 |
| 64 8 M 85 FB | 64 | 6F | 162,97 | 161,60 | 168 | 137 | 95 | 100 | 95 | 20 | 10,40 |
| 72 8 M 85 FB | 72 | 6F | 183,35 | 181,97 | 192 | 158 | 95 | 110 | 95 | 20 | 11,40 |
| 80 8 M 85 FB | 80 | 5 | 203,72 | 202,35 | * | 180 | 95 | 110 | 95 | 20 | 11,10 |
| 90 8 M 85 FB | 90 | 5 | 229,18 | 227,81 | * | 204 | 95 | 110 | 95 | 20 | 13,20 |



5


Materiaali: Z < 40 teräs
Z > 44 valurautaa

Jako 8 mm


8 M 20

| Обозначение | Кол-во рублев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z mm | Y mm | Holkki | Max akseli | Vikt kg |
|--------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|--------|---------------|------------|
| BL 22 8 M 20 | 22 | 4 | 56,02 | 54,65 | 62 | 38 | 28 | - | 6 | 22 | 1008 | 25 | 0,29 |
| BL 24 8 M 20 | 24 | 4 | 61,12 | 59,74 | 67 | 42 | 28 | - | 6 | 22 | 1108 | 28 | 0,32 |
| BL 26 8 M 20 | 26 | 4 | 66,21 | 64,84 | 73 | 45 | 28 | - | 6 | 22 | 1108 | 28 | 0,36 |
| BL 28 8 M 20 | 28 | 4 | 71,30 | 69,93 | 80 | 52 | 28 | - | 6 | 22 | 1108 | 28 | 0,44 |
| BL 30 8 M 20 | 30 | 4 | 76,39 | 75,02 | 84 | 56 | 28 | - | 6 | 22 | 1108 | 28 | 0,55 |
| BL 32 8 M 20 | 32 | 4 | 81,49 | 80,12 | 88 | 65 | 28 | - | 3 | 25 | 1610 | 42 | 0,65 |
| BL 34 8 M 20 | 34 | 4 | 86,58 | 85,21 | 94 | 66 | 28 | - | 3 | 25 | 1610 | 42 | 0,70 |
| BL 36 8 M 20 | 36 | 4 | 91,67 | 90,30 | 100 | 68 | 28 | - | 3 | 25 | 1610 | 42 | 0,78 |
| BL 38 8 M 20 | 38 | 4 | 96,77 | 95,39 | 104 | 76 | 28 | - | 3 | 25 | 1610 | 42 | 0,87 |
| BL 40 8 M 20 | 40 | 4 | 101,86 | 100,49 | 108 | 76 | 28 | - | 3 | 25 | 1610 | 42 | 1,02 |
| BL 44 8 M 20 | 44 | 1 | 112,05 | 110,67 | 121 | - | 28 | 99 | 4 | 32 | 2012 | 50 | 1,23 |
| BL 48 8 M 20 | 48 | 1 | 122,23 | 120,86 | 129 | - | 28 | 105 | 4 | 32 | 2012 | 50 | 1,57 |
| BL 56 8 M 20 | 56 | 1 | 142,60 | 141,23 | 148 | - | 28 | 105 | 4 | 32 | 2012 | 50 | 2,20 |
| BL 64 8 M 20 | 64 | 6 | 162,97 | 161,60 | 168 | 140 | 28 | 110 | 4 | 32 | 2012 | 50 | 2,69 |
| BL 72 8 M 20 | 72 | 6 | 183,35 | 181,97 | 189 | 158 | 28 | 110 | 4 | 32 | 2012 | 50 | 3,16 |
| BL 80 8 M 20 | 80 | 9 | 203,72 | 202,35 | * | 178 | 28 | 110 | 4 | 32 | 2012 | 50 | 4,50 |
| BL 90 8 M 20 | 90 | 12 | 229,18 | 227,81 | * | 204 | 28 | 110 | 4 | 32 | 2012 | 50 | 6,30 |


* Pyörässä ei ole laippaa.



1



2



4

8 M 30

| Обозначение | Кол-во рублев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z mm | Y mm | Holkki | Max akseli | Vikt kg |
|---------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|--------|---------------|------------|
| BL 22 8 M 30 | 22 | 4 | 56,02 | 54,65 | 62 | 38 | 38 | - | 16 | 22 | 1008 | 25 | 0,36 |
| BL 24 8 M 30 | 24 | 4 | 61,12 | 59,74 | 67 | 42 | 38 | - | 16 | 22 | 1108 | 28 | 0,40 |
| BL 26 8 M 30 | 26 | 4 | 66,21 | 64,84 | 73 | 45 | 38 | - | 16 | 22 | 1108 | 28 | 0,44 |
| BL 28 8 M 30 | 28 | 4 | 71,30 | 69,93 | 77 | 52 | 38 | - | 16 | 22 | 1108 | 28 | 0,54 |
| BL 30 8 M 30 | 30 | 8 | 76,39 | 75,02 | 84 | - | 38 | 67 | - | 38 | 1615 | 42 | 0,66 |
| BL 32 8 M 30 | 32 | 8 | 81,49 | 80,12 | 88 | - | 38 | 70 | - | 38 | 1615 | 42 | 0,76 |
| BL 34 8 M 30 | 34 | 8 | 86,58 | 85,21 | 94 | - | 38 | 76 | - | 38 | 1615 | 42 | 0,80 |
| BL 36 8 M 30 | 36 | 8 | 91,67 | 90,30 | 100 | - | 38 | 78 | - | 38 | 1615 | 42 | 0,98 |
| BL 38 8 M 30 | 38 | 8 | 96,77 | 95,39 | 104 | - | 38 | 80 | - | 38 | 1615 | 42 | 1,04 |
| BL 40 8 M 30 | 40 | 8 | 101,86 | 100,49 | 108 | - | 38 | 80 | - | 38 | 1615 | 42 | 1,20 |
| BL 44 8 M 30 | 44 | 2 | 112,05 | 110,67 | 121 | 90 | 38 | - | 3 | 32 | 2012 | 50 | 1,38 |
| BL 48 8 M 30 | 48 | 2 | 112,23 | 120,86 | 129 | 98 | 38 | - | 3 | 32 | 2012 | 50 | 1,83 |
| BL 56 8 M 30 | 56 | 2 | 142,60 | 141,23 | 149 | 118 | 38 | - | 3 | 32 | 2012 | 50 | 2,75 |
| BL 64 8 M 30 | 64 | 6 | 162,97 | 161,60 | 168 | 140 | 38 | 115 | 7 | 45 | 2517 | 60 | 4,50 |
| BL 72 8 M 30 | 72 | 6 | 183,35 | 181,97 | 189 | 158 | 38 | 120 | 7 | 45 | 2517 | 60 | 6,00 |
| BL 80 8 M 30 | 80 | 9 | 203,72 | 202,35 | * | 178 | 38 | 120 | 7 | 45 | 2517 | 60 | 6,10 |
| BL 90 8 M 30 | 90 | 12 | 229,18 | 227,81 | * | 204 | 38 | 120 | 7 | 45 | 2517 | 60 | 6,20 |
| BL 112 8 M 30 | 112 | 12 | 285,21 | 283,83 | * | 160 | 38 | 120 | 7 | 45 | 2517 | 60 | 7,90 |
| BL 144 8 M 30 | 144 | 12 | 366,69 | 365,32 | * | 341 | 38 | 120 | 7 | 45 | 2517 | 60 | 9,80 |

* Pyörässä ei ole laippaa.

Materiaali: Valurautaa

Jako **8 mm**

8 M 50 z 22-48 varastoidaan Espossa

| Обозначение | Кол-во рублев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z mm | Y mm | Holkki | Max akseli | Paino kg |
|---------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|--------|---------------|-------------|
| BL 28 8 M 50 | 28 | 2 | 71,30 | 69,93 | 80 | 52 | 60 | - | 19 | 22 | 1108 | 28 | 0,76 |
| BL 30 8 M 50 | 30 | 4 | 76,39 | 75,02 | 84 | 58 | 60 | - | 22 | 38 | 1615 | 42 | 0,95 |
| BL 32 8 M 50 | 32 | 4 | 81,49 | 80,12 | 88 | 60 | 60 | - | 22 | 38 | 1615 | 42 | 0,98 |
| BL 34 8 M 50 | 34 | 4 | 86,58 | 85,21 | 94 | 66 | 60 | - | 22 | 38 | 1615 | 42 | 1,00 |
| BL 36 8 M 50 | 36 | 4 | 91,67 | 90,30 | 100 | 68 | 60 | - | 22 | 38 | 1615 | 42 | 1,20 |
| BL 38 8 M 50 | 38 | 4 | 96,77 | 95,39 | 104 | 75 | 60 | - | 22 | 38 | 1615 | 42 | 1,43 |
| BL 40 8 M 50 | 40 | 2 | 101,86 | 100,49 | 108 | 80 | 60 | - | 14 | 32 | 2012 | 50 | 1,65 |
| BL 44 8 M 50 | 44 | 2 | 112,05 | 110,67 | 121 | 90 | 60 | - | 14 | 32 | 2012 | 50 | 1,80 |
| BL 48 8 M 50 | 48 | 2 | 122,23 | 120,86 | 129 | 100 | 60 | - | 14 | 32 | 2012 | 50 | 2,41 |
| BL 56 8 M 50 | 56 | 2 | 142,60 | 141,23 | 149 | 120 | 60 | - | 7,5 | 45 | 2517 | 60 | 3,80 |
| BL 64 8 M 50 | 64 | 5 | 162,97 | 161,60 | 168 | 138 | 60 | 115 | 7,5 | 45 | 2517 | 60 | 5,00 |
| BL 72 8 M 50 | 72 | 5 | 183,35 | 181,97 | 189 | 158 | 60 | 120 | 7,5 | 45 | 2517 | 60 | 6,70 |
| BL 80 8 M 50 | 80 | 7 | 203,72 | 202,35 | * | 178 | 60 | 140 | 4,5 | 51 | 3020 | 75 | 7,50 |
| BL 90 8 M 50 | 90 | 7 | 229,18 | 227,81 | * | 204 | 60 | 146 | 4,5 | 51 | 3020 | 75 | 8,00 |
| BL 112 8 M 50 | 112 | 14 | 285,21 | 283,83 | * | 260 | 60 | 146 | 4,5 | 51 | 3020 | 75 | 9,50 |
| BL 144 8 M 50 | 144 | 14 | 366,69 | 365,32 | * | 341 | 60 | 146 | 4,5 | 51 | 3020 | 75 | 12,80 |
| BL 168 8 M 50 | 168 | 14 | 427,80 | 426,42 | * | 402 | 60 | 146 | 4,5 | 51 | 3020 | 75 | 17,50 |
| BL 192 8 M 50 | 192 | 14 | 488,92 | 487,54 | * | 462 | 60 | 146 | 4,5 | 51 | 3020 | 75 | 20,00 |

* Pyörässä ei ole laippaa.

8 M 85 varastoidaan Ruotsissa

| Обозначение | Кол-во рублев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z mm | Y mm | Holkki | Max akseli | Paino kg |
|---------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|--------|---------------|-------------|
| BL 34 8 M 85 | 34 | 2 | 86,58 | 85,21 | 94 | 66 | 95 | - | 29 | 38 | 1615 | 42 | 1,20 |
| BL 36 8 M 85 | 36 | 2 | 91,67 | 90,30 | 100 | 68 | 95 | - | 29 | 38 | 1615 | 42 | 1,60 |
| BL 38 8 M 85 | 38 | 2 | 96,77 | 95,39 | 104 | 75 | 95 | - | 29 | 38 | 1615 | 42 | 2,05 |
| BL 40 8 M 85 | 40 | 2 | 101,86 | 100,49 | 108 | 80 | 95 | - | 32 | 32 | 2012 | 50 | 2,25 |
| BL 44 8 M 85 | 44 | 2 | 112,05 | 110,67 | 121 | 90 | 95 | - | 32 | 32 | 2012 | 50 | 2,55 |
| BL 48 8 M 85 | 48 | 2 | 122,23 | 120,86 | 129 | 100 | 95 | - | 25 | 45 | 2517 | 60 | 3,20 |
| BL 56 8 M 85 | 56 | 2 | 142,60 | 141,23 | 149 | 120 | 95 | - | 25 | 45 | 2517 | 60 | 3,72 |
| BL 64 8 M 85 | 64 | 2 | 162,97 | 161,60 | 168 | 138 | 95 | - | 25 | 45 | 2517 | 60 | 6,00 |
| BL 72 8 M 85 | 72 | 2 | 183,35 | 181,97 | 189 | 158 | 95 | - | 22 | 51 | 3020 | 75 | 7,20 |
| BL 80 8 M 85 | 80 | 7 | 203,72 | 202,35 | * | 178 | 95 | 140 | 22 | 51 | 3020 | 75 | 8,80 |
| BL 90 8 M 85 | 90 | 7 | 229,18 | 227,81 | * | 204 | 95 | 146 | 22 | 51 | 3020 | 75 | 10,00 |
| BL 112 8 M 85 | 112 | 14 | 285,21 | 283,83 | * | 250 | 95 | 146 | 22 | 51 | 3020 | 75 | 12,40 |
| BL 144 8 M 85 | 144 | 14 | 366,69 | 365,32 | * | 341 | 95 | 140 | 9,5 | 76 | 3030 | 75 | 18,50 |
| BL 168 8 M 85 | 168 | 14 | 427,80 | 426,42 | * | 402 | 95 | 140 | 9,5 | 76 | 3030 | 75 | 21,30 |
| BL 192 8 M 85 | 192 | 14 | 488,92 | 487,54 | * | 462 | 95 | 140 | 9,5 | 76 | 3030 | 75 | 27,20 |

* Pyörässä ei ole laippaa.


Jako **14 mm**

14 M 40 z 22-48 varastoidaan Espossa


| Обозначение | Кол-во рублев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z mm | Y mm | Holkki | Max akseli | Paino kg |
|----------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|--------|---------------|-------------|
| BL 28 14 M 40 | 28 | 2 | 124,78 | 121,98 | 134 | 98 | 54 | - | 11 | 32 | 2012 | 50 | 2,30 |
| BL 29 14 M 40 | 29 | 2 | 129,23 | 126,44 | 142 | 100 | 54 | - | 11 | 32 | 2012 | 50 | 2,70 |
| BL 30 14 M 40 | 30 | 2 | 133,69 | 130,90 | 142 | 100 | 54 | - | 11 | 32 | 2012 | 50 | 3,00 |
| BL 32 14 M 40 | 32 | 2 | 142,60 | 139,81 | 150 | 104 | 54 | - | 11 | 32 | 2012 | 50 | 3,40 |
| BL 34 14 M 40 | 34 | 2 | 151,52 | 148,72 | 158 | 110 | 54 | - | 4,5 | 45 | 2517 | 60 | 3,60 |
| BL 36 14 M 40 | 36 | 2 | 160,43 | 157,63 | 166 | 120 | 54 | - | 4,5 | 45 | 2517 | 60 | 4,25 |
| BL 38 14 M 40 | 38 | 2 | 169,34 | 166,55 | 177 | 130 | 54 | - | 4,5 | 45 | 2517 | 60 | 4,90 |
| BL 40 14 M 40 | 40 | 2 | 178,25 | 175,46 | 186 | 138 | 54 | - | 4,5 | 45 | 2517 | 60 | 5,70 |
| BL 44 14 M 40 | 44 | 2 | 196,08 | 193,28 | 209 | 154 | 54 | - | 1,5 | 51 | 3020 | 75 | 7,00 |
| BL 48 14 M 40 | 48 | 2 | 213,90 | 211,11 | 216 | 172 | 54 | - | 1,5 | 51 | 3020 | 75 | 8,00 |
| BL 56 14 M 40 | 56 | 5 | 249,56 | 246,76 | 256 | 207 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 9,60 |
| BL 64 14 M 40 | 64 | 5 | 285,21 | 282,41 | 288 | 243 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 12,30 |
| BL 72 14 M 40 | 72 | 7 | 320,86 | 318,06 | * | 279 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 16,00 |
| BL 80 14 M 40 | 80 | 14 | 356,51 | 353,71 | * | 314 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 16,10 |
| BL 90 14 M 40 | 90 | 14 | 401,07 | 398,28 | * | 359 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 16,30 |
| BL 112 14 M 40 | 112 | 14 | 499,11 | 496,32 | * | 457 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 24,00 |
| BL 144 14 M 40 | 144 | 14 | 641,71 | 638,92 | * | 600 | 54 | 146 | 1,5 | 51 | 3020 | 75 | 31,70 |

* Pyörässä ei ole laippaa.


Materiaali: Valurauta




5




6



7



8




9


14 M 55 z 22-48 varastoidaan Espoossa

| Обозначение | Коп-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z | Y | Holkki | Max akseli | Paino kg |
|----------------|------------------|-----|----------|----------|----------|----------|---------|---------|-----|----|--------|---------------|-------------|
| BL 28 14 M 55 | 28 | 2 | 124,78 | 121,98 | 134 | 98 | 70 | - | 19 | 32 | 2012 | 50 | 2,72 |
| BL 29 14 M 55 | 29 | 2 | 129,23 | 126,44 | 142 | 100 | 70 | - | 19 | 32 | 2012 | 50 | 2,90 |
| BL 30 14 M 55 | 30 | 2 | 133,69 | 130,90 | 142 | 100 | 70 | - | 13 | 45 | 2517 | 60 | 3,30 |
| BL 32 14 M 55 | 32 | 2 | 142,60 | 139,81 | 150 | 104 | 70 | - | 13 | 45 | 2517 | 60 | 3,50 |
| BL 34 14 M 55 | 34 | 2 | 151,52 | 148,72 | 158 | 110 | 70 | - | 13 | 45 | 2517 | 60 | 4,20 |
| BL 36 14 M 55 | 36 | 2 | 160,43 | 157,63 | 166 | 120 | 70 | - | 13 | 45 | 2517 | 60 | 4,68 |
| BL 38 14 M 55 | 38 | 2 | 169,34 | 166,55 | 177 | 130 | 70 | - | 13 | 45 | 2517 | 60 | 5,60 |
| BL 40 14 M 55 | 40 | 2 | 178,25 | 175,46 | 186 | 138 | 70 | - | 13 | 45 | 2517 | 60 | 6,00 |
| BL 44 14 M 55 | 44 | 2 | 196,08 | 193,28 | 209 | 154 | 70 | - | 9,5 | 51 | 3020 | 75 | 8,00 |
| BL 48 14 M 55 | 48 | 2 | 213,90 | 211,11 | 216 | 172 | 70 | - | 9,5 | 51 | 3020 | 75 | 10,00 |
| BL 56 14 M 55 | 56 | 5 | 249,56 | 246,76 | 256 | 207 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 11,40 |
| BL 64 14 M 55 | 64 | 5 | 285,21 | 282,41 | 288 | 243 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 13,90 |
| BL 72 14 M 55 | 72 | 7 | 320,86 | 318,06 | * | 279 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 15,30 |
| BL 80 14 M 55 | 80 | 14 | 356,51 | 353,71 | * | 314 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 16,50 |
| BL 90 14 M 55 | 90 | 14 | 401,07 | 398,28 | * | 359 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 19,00 |
| BL 112 14 M 55 | 112 | 14 | 499,11 | 496,32 | * | 457 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 27,50 |
| BL 144 14 M 55 | 144 | 14 | 641,71 | 638,92 | * | 600 | 70 | 146 | 9,5 | 51 | 3020 | 75 | 35,50 |


* Pyörässä ei ole laippaa.



2



5




7

14 M 85 z 22-48 varastoidaan Espoossa

| Обозначение | Коп-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z | Y | Holkki | Max akseli | Paino kg |
|----------------|------------------|-----|----------|----------|----------|----------|---------|---------|----|----|--------|---------------|-------------|
| BL 28 14 M 85 | 28 | 2 | 124,78 | 121,98 | 134 | 98 | 102 | - | 29 | 45 | 2517 | 60 | 3,00 |
| BL 29 14 M 85 | 29 | 2 | 129,23 | 126,44 | 142 | 100 | 102 | - | 29 | 45 | 2517 | 60 | 3,50 |
| BL 30 14 M 85 | 30 | 2 | 133,69 | 130,90 | 142 | 100 | 102 | - | 29 | 45 | 2517 | 60 | 3,90 |
| BL 32 14 M 85 | 32 | 2 | 142,60 | 139,81 | 150 | 104 | 102 | - | 29 | 45 | 2517 | 60 | 4,20 |
| BL 34 14 M 85 | 34 | 2 | 151,52 | 148,72 | 158 | 110 | 102 | - | 29 | 45 | 2517 | 60 | 5,50 |
| BL 36 14 M 85 | 36 | 2 | 160,43 | 157,63 | 166 | 120 | 102 | - | 26 | 51 | 3020 | 75 | 6,80 |
| BL 38 14 M 85 | 38 | 2 | 169,34 | 166,55 | 177 | 130 | 102 | - | 26 | 51 | 3020 | 75 | 8,00 |
| BL 40 14 M 85 | 40 | 2 | 178,25 | 175,46 | 186 | 138 | 102 | - | 26 | 51 | 3020 | 75 | 10,00 |
| BL 44 14 M 85 | 44 | 2 | 196,08 | 193,28 | 209 | 154 | 102 | - | 13 | 76 | 3030 | 75 | 11,00 |
| BL 48 14 M 85 | 48 | 2 | 213,90 | 211,11 | 216 | 172 | 102 | - | 13 | 76 | 3030 | 75 | 13,70 |
| BL 56 14 M 85 | 56 | 2 | 249,56 | 246,76 | 256 | 207 | 102 | - | 19 | 65 | 3525 | 100 | 21,60 |
| BL 64 14 M 85 | 64 | 5 | 285,21 | 282,41 | 288 | 243 | 102 | 190 | 19 | 65 | 3525 | 100 | 28,80 |
| BL 72 14 M 85 | 72 | 14 | 320,86 | 318,06 | * | 279 | 102 | 190 | 19 | 65 | 3525 | 100 | 26,00 |
| BL 80 14 M 85 | 80 | 7 | 356,51 | 353,71 | * | 314 | 102 | 190 | 19 | 65 | 3525 | 100 | 29,00 |
| BL 90 14 M 85 | 90 | 7 | 401,07 | 398,28 | * | 359 | 102 | 190 | 19 | 65 | 3525 | 100 | 31,80 |
| BL 112 14 M 85 | 112 | 7 | 499,11 | 496,32 | * | 457 | 102 | 190 | 19 | 65 | 3525 | 100 | 40,00 |
| BL 144 14 M 85 | 144 | 7 | 641,71 | 638,92 | * | 600 | 102 | 190 | 19 | 65 | 3525 | 100 | 51,20 |

* Pyörässä ei ole laippaa.



14

14 M 115 varastoidaan Ruotsissa

| Обозначение | Коп-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z | Y | Holkki | Max akseli | Paino kg |
|-----------------|------------------|-----|----------|----------|----------|----------|---------|---------|----|-----|--------|---------------|-------------|
| BL 28 14 M 115 | 28 | 2 | 124,78 | 121,98 | 134 | 98 | 133 | - | 44 | 45 | 2517 | 60 | 3,60 |
| BL 29 14 M 115 | 29 | 2 | 129,23 | 126,44 | 142 | 100 | 133 | - | 44 | 45 | 2517 | 60 | 4,20 |
| BL 30 14 M 115 | 30 | 2 | 133,69 | 130,90 | 142 | 100 | 133 | - | 44 | 45 | 2517 | 60 | 4,60 |
| BL 32 14 M 115 | 32 | 2 | 142,60 | 139,81 | 150 | 104 | 133 | - | 44 | 45 | 2517 | 60 | 5,00 |
| BL 34 14 M 115 | 34 | 2 | 151,52 | 148,72 | 158 | 110 | 133 | - | 44 | 45 | 2517 | 60 | 6,50 |
| BL 36 14 M 115 | 36 | 2 | 160,43 | 157,63 | 166 | 120 | 133 | - | 41 | 51 | 3020 | 75 | 8,00 |
| BL 38 14 M 115 | 38 | 2 | 169,34 | 166,55 | 177 | 130 | 133 | - | 41 | 51 | 3020 | 75 | 9,20 |
| BL 40 14 M 115 | 40 | 2 | 178,25 | 175,46 | 186 | 138 | 133 | - | 41 | 51 | 3020 | 75 | 9,50 |
| BL 44 14 M 115 | 44 | 2 | 196,08 | 193,28 | 209 | 154 | 133 | - | 29 | 76 | 3030 | 75 | 13,00 |
| BL 48 14 M 115 | 48 | 2 | 213,90 | 211,11 | 216 | 172 | 133 | - | 29 | 76 | 3030 | 75 | 15,80 |
| BL 56 14 M 115 | 56 | 5 | 249,56 | 246,76 | 256 | 207 | 133 | - | 22 | 89 | 3535 | 90 | 24,00 |
| BL 64 14 M 115 | 64 | 5 | 285,21 | 282,41 | 288 | 243 | 133 | 178 | 22 | 89 | 3535 | 90 | 29,00 |
| BL 72 14 M 115 | 72 | 7 | 320,86 | 318,06 | * | 279 | 133 | 178 | 22 | 89 | 3535 | 90 | 31,00 |
| BL 80 14 M 115 | 80 | 14 | 356,51 | 353,71 | * | 314 | 133 | 178 | 22 | 89 | 3535 | 90 | 33,10 |
| BL 90 14 M 115 | 90 | 14 | 401,07 | 398,28 | * | 359 | 133 | 178 | 22 | 89 | 3535 | 90 | 37,00 |
| BL 112 14 M 115 | 112 | 14 | 499,11 | 496,32 | * | 457 | 133 | 178 | 22 | 89 | 3535 | 90 | 49,00 |
| BL 144 14 M 115 | 144 | 14 | 641,71 | 638,92 | * | 600 | 133 | 215 | 16 | 102 | 4040 | 100 | 63,00 |

* Pyörässä ei ole laippaa.

Materiaali: Valurauta

14 M 170

| Обозначение | Кол-во зубьев | Тип | Do mm | Dy mm | Df mm | Di mm | W mm | H mm | Z mm | Y mm | Holkki | Max akseli | Paino kg |
|----------------|------------------|-----|----------|----------|----------|----------|---------|---------|---------|---------|--------|---------------|-------------|
| BL 38 14 M 170 | 38 | 2 | 169,34 | 166,55 | 177 | 130 | 187 | - | 55,5 | 76 | 3030 | 75 | 12,00 |
| BL 40 14 M 170 | 40 | 2 | 178,25 | 175,46 | 186 | 138 | 187 | - | 55,5 | 76 | 3030 | 75 | 12,40 |
| BL 44 14 M 170 | 44 | 2 | 196,08 | 193,28 | 209 | 154 | 187 | - | 49 | 89 | 3535 | 90 | 17,00 |
| BL 48 14 M 170 | 48 | 2 | 213,90 | 211,11 | 216 | 172 | 187 | - | 49 | 89 | 3535 | 90 | 19,00 |
| BL 56 14 M 170 | 56 | 2 | 249,56 | 246,76 | 256 | 207 | 187 | - | 49 | 89 | 3535 | 90 | 21,60 |
| BL 64 14 M 170 | 64 | 2 | 285,21 | 282,41 | 288 | 243 | 187 | - | 42,5 | 102 | 4040 | 100 | 39,00 |
| BL 72 14 M 170 | 72 | 7 | 320,86 | 318,06 | * | 279 | 187 | 215 | 42,5 | 102 | 4040 | 100 | 41,20 |
| BL 80 14 M 170 | 80 | 7 | 356,51 | 353,71 | * | 314 | 187 | 215 | 42,5 | 102 | 4040 | 100 | 44,80 |
| BL 90 14 M 170 | 90 | 14 | 401,07 | 398,28 | * | 359 | 187 | 215 | 42,5 | 102 | 4040 | 100 | 47,00 |
| BL 112 14 M 17 | 112 | 14 | 499,11 | 496,32 | * | 457 | 187 | 267 | 30 | 127 | 5050 | 125 | 68,60 |
| BL 144 14 M 17 | 144 | 14 | 641,71 | 638,92 | * | 600 | 187 | 267 | 30 | 127 | 5050 | 125 | 86,00 |

* Pyörässä ei ole laippaa.

Materiaali: Valurauta